

Last login: Tue Mar 1 16:39:07 on ttys000  
alitariq@115-186-132-74 ~ % /Applications/ReadyAPI-3.20.2.app/  
Contents/Resources/app/bin/testrunner.sh "-sTest Suite 1" -r -a -j  
"-f/Users/alitariq/Documents/test reports" "-JUnit-Style HTML  
Report" -FXML -EDEVELOPMENT "/Users/alitariq/Desktop/ReadyAPI  
Projects"

=====

=

= READY\_API\_HOME = /Applications/ReadyAPI-3.20.2.app/Contents/  
Resources/app

=

=====

OpenJDK 64-Bit Server VM warning: Option UseBiasedLocking was  
deprecated in version 15.0 and will likely be removed in a future  
release.

OpenJDK 64-Bit Server VM warning: Option --illegal-access is  
deprecated and will be removed in a future release.

[Fatal Error] :1:1: Content is not allowed in prolog.

[Fatal Error] :1:1: Content is not allowed in prolog.

17:38:39,920 INFO [license] ReadyAPI 3.20.2 (build 8117) started -  
System properties: {OS=Mac OS X, User name=alitariq}

17:38:40,059 INFO [DefaultSoapUICore] ReadyAPI settings were  
initialized from [/Users/alitariq/.readyapi/readyapi-settings.xml]

17:38:40,256 INFO [SoapUIExtensionClassLoader] "/Applications/  
ReadyAPI-3.20.2.app/Contents/Resources/app/bin/ext/mssql-  
jdbc-9.2.1.jre15.jar" has been added to the classpath.

17:38:40,256 INFO [SoapUIExtensionClassLoader] "/Applications/  
ReadyAPI-3.20.2.app/Contents/Resources/app/bin/ext/  
postgresql-9.3-1102.jdbc41.jar" has been added to the classpath.

17:38:40,310 INFO [DefaultSoapUICore] 2 JDBC drivers have been  
registered from the directory bin/ext:

[com.microsoft.sqlserver.jdbc.SQLServerDriver,  
org.postgresql.Driver].

[Fatal Error] :1:1: Content is not allowed in prolog.

17:38:41,237 INFO [DefaultSoapUICore] Adding listeners from [/  
Applications/ReadyAPI-3.20.2.app/Contents/Resources/app/bin/  
listeners/demo-listeners.xml]

17:38:41,254 WARN [SoapUIJasperReportManager] The report directory  
is not specified. The default report directory will be used.

17:38:42,119 DEBUG [LicenseManagerServiceImpl] Trying to initialize  
legacy license for ReadyAPI Bundle (formerly ReadyAPIBundle)

17:38:42,120 DEBUG [LicenseManagerServiceImpl] No legacy license  
found for ReadyAPI Bundle (formerly ReadyAPIBundle)

17:38:42,120 DEBUG [LicenseManagerServiceImpl] License host for  
ReadyAPI Bundle: 115-186-132-74

17:38:42,125 DEBUG [LicenseManagerServiceImpl] Trying to initialize  
legacy license for ReadyAPI Test (formerly SoapUING)

17:38:42,126 DEBUG [LicenseManagerServiceImpl] No legacy license  
found for ReadyAPI Test (formerly SoapUING)

17:38:42,126 DEBUG [LicenseManagerServiceImpl] License host for  
ReadyAPI Test: 115-186-132-74

17:38:42,131 DEBUG [LicenseManagerServiceImpl] Trying to initialize  
legacy license for ReadyAPI Test (formerly SoapUIPro)

17:38:42,132 DEBUG [LicenseManagerServiceImpl] License host for

```
ReadyAPI Test: 115-186-132-74
17:38:42,176 DEBUG [LicenseManagerServiceImpl] Valid legacy license
file found: /Users/alitariq/.soapui/soapui.key, last modified:
2022-02-24T17:36:54.685+0500
17:38:42,185 DEBUG [LicenseManagerServiceImpl] Trying to initialize
legacy license for ReadyAPI Test (formerly SoapUING)
17:38:42,185 DEBUG [LicenseManagerServiceImpl] No legacy license
found for ReadyAPI Test (formerly SoapUING)
17:38:42,185 DEBUG [LicenseManagerServiceImpl] License host for
ReadyAPI Test: 115-186-132-74
17:38:42,191 DEBUG [LicenseManagerServiceImpl] Trying to initialize
legacy license for ReadyAPI Performance (formerly LoadUI)
17:38:42,192 DEBUG [LicenseManagerServiceImpl] License host for
ReadyAPI Performance: 115-186-132-74
17:38:42,195 DEBUG [LicenseManagerServiceImpl] Valid legacy license
file found: /Users/alitariq/.loadui/loadUI.key, last modified:
2022-02-24T17:36:54.686+0500
17:38:42,201 DEBUG [LicenseManagerServiceImpl] Trying to initialize
legacy license for ReadyAPI Virtualization (formerly ServiceV)
17:38:42,202 DEBUG [LicenseManagerServiceImpl] License host for
ReadyAPI Virtualization: 115-186-132-74
17:38:42,205 DEBUG [LicenseManagerServiceImpl] Valid legacy license
file found: /Users/alitariq/.readyapi/servicev.key, last modified:
2022-02-24T17:36:54.686+0500
17:38:42,534 INFO [PluginManager] 3 out of 3 plugins have been
loaded in 358 ms.
java.lang.NullPointerException
    at java.base/java.util.Objects.requireNonNull(Objects.java:208)
    at java.base/
java.util.Arrays$ArrayList.<init>(Arrays.java:4136)
    at java.base/java.util.Arrays.asList(Arrays.java:4121)
    at
com.eviware.soapui.impl.support.wSDL.UrlWSDLLoaderPro.a(UrlWSDLLoade
rPro.java:39)
    at
com.eviware.soapui.impl.support.wSDL.UrlWSDLLoaderPro.handleFile(Url
WSDLLoaderPro.java:32)
    at
com.eviware.soapui.impl.wSDL.support.wSDL.UrlClientLoader.load(UrlCl
ientLoader.java:165)
    at
com.eviware.soapui.impl.wSDL.support.wSDL.UrlClientLoader.load(UrlCl
ientLoader.java:144)
    at
com.eviware.soapui.impl.wSDL.support.wSDL.UrlClientLoader.load(UrlCl
ientLoader.java:135)
    at
com.eviware.soapui.impl.wSDL.WSDLProjectPro.b(WSDLProjectPro.java:71
3)
    at
com.eviware.soapui.impl.wSDL.WSDLProjectPro.loadProject(WSDLProjectP
ro.java:502)
    at
com.eviware.soapui.impl.wSDL.WSDLProject.<init>(WSDLProject.java:346
```

```
)
    at
com.eviware.soapui.impl.wsdل.WsdلProject.<init>(WsdلProject.java:325
)
    at
com.eviware.soapui.impl.wsdل.WsdلProjectPro.<init>(WsdلProjectPro.java:232)
    at
com.eviware.soapui.impl.wsdل.WsdلProjectProFactory.createNew(WsdلProjectProFactory.java:93)
    at
com.eviware.soapui.impl.wsdل.WsdلProjectProFactory.createNew(WsdلProjectProFactory.java:1)
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.getWsdلProject(AbstractSoapUIRunner.java:533)
    at
com.smartbear.ready.cmd.runner.SoapUITestCaseRunner.runRunner(SoapUITestCaseRunner.java:421)
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.runRunner(SoapUIProTestCaseRunner.java:141)
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.run(AbstractSoapUIRunner.java:333)
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.runFromCommandLine(AbstractSoapUIRunner.java:198)
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.init(SoapUIProTestCaseRunner.java:101)
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.main(SoapUIProTestCaseRunner.java:97)
17:38:43,912 ERROR [SoapUI] An error occurred [Failed to load project from file [file:/Users/alitariq/Desktop/ReadyAPI%20Projects/]], see error log for details
17:38:43,912 ERROR [errorlog]
com.eviware.soapui.support.SoapUIException: Failed to load project from file [file:/Users/alitariq/Desktop/ReadyAPI%20Projects/]
com.eviware.soapui.support.SoapUIException: Failed to load project from file [file:/Users/alitariq/Desktop/ReadyAPI%20Projects/]
    at
com.eviware.soapui.impl.wsdل.WsdلProjectPro.loadProject(WsdلProjectPro.java:619) ~[ready-api-soapui-pro-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wsdل.WsdلProject.<init>(WsdلProject.java:346) [ready-api-soapui-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wsdل.WsdلProject.<init>(WsdلProject.java:325) [ready-api-soapui-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wsdل.WsdلProjectPro.<init>(WsdلProjectPro.java:232) [ready-api-soapui-pro-3.20.2.jar:3.20.2]
```

```
at
com.eviware.soapui.impl.wsdل.WsdلProjectProFactory.createNew(WsdلProjectProFactory.java:93) [ready-api-soapui-pro-3.20.2.jar:3.20.2]
at
com.eviware.soapui.impl.wsdل.WsdلProjectProFactory.createNew(WsdلProjectProFactory.java:1) [ready-api-soapui-pro-3.20.2.jar:3.20.2]
at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.getWsdلProject(AbstractSoapUIRunner.java:533) [ready-api-runners-3.20.2.jar:?]
at
com.smartbear.ready.cmd.runner.SoapUITestCaseRunner.runRunner(SoapUITestCaseRunner.java:421) [ready-api-runners-3.20.2.jar:?]
at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.runRunner(SoapUIProTestCaseRunner.java:141) [ready-api-runners-3.20.2.jar:?]
at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.run(AbstractSoapUIRunner.java:333) [ready-api-runners-3.20.2.jar:?]
at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.runFromCommandLine(AbstractSoapUIRunner.java:198) [ready-api-runners-3.20.2.jar:?]
at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.init(SoapUIProTestCaseRunner.java:101) [ready-api-runners-3.20.2.jar:?]
at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.main(SoapUIProTestCaseRunner.java:97) [ready-api-runners-3.20.2.jar:?]
Caused by: java.lang.NullPointerException
at java.util.Objects.requireNonNull(Objects.java:208) ~[?:?]
at java.util.Arrays$ArrayList.<init>(Arrays.java:4136) ~[?:?]
at java.util.Arrays.asList(Arrays.java:4121) ~[?:?]
at
com.eviware.soapui.impl.support.wsdل.UrlWsdلLoaderPro.a(UrlWsdلLoaderPro.java:39) ~[ready-api-soapui-pro-3.20.2.jar:3.20.2]
at
com.eviware.soapui.impl.support.wsdل.UrlWsdلLoaderPro.handleFile(UrlWsdلLoaderPro.java:32) ~[ready-api-soapui-pro-3.20.2.jar:3.20.2]
at
com.eviware.soapui.impl.wsdل.support.wsdل.UrlClientLoader.load(UrlClientLoader.java:165) ~[ready-api-soapui-3.20.2.jar:3.20.2]
at
com.eviware.soapui.impl.wsdل.support.wsdل.UrlClientLoader.load(UrlClientLoader.java:144) ~[ready-api-soapui-3.20.2.jar:3.20.2]
at
com.eviware.soapui.impl.wsdل.support.wsdل.UrlClientLoader.load(UrlClientLoader.java:135) ~[ready-api-soapui-3.20.2.jar:3.20.2]
at
com.eviware.soapui.impl.wsdل.WsdلProjectPro.b(WsdلProjectPro.java:713) ~[ready-api-soapui-pro-3.20.2.jar:3.20.2]
at
com.eviware.soapui.impl.wsdل.WsdلProjectPro.loadProject(WsdلProjectPro.java:502) ~[ready-api-soapui-pro-3.20.2.jar:3.20.2]
... 12 more
com.eviware.soapui.support.SoapUIException: Failed to load project
```

```
from file [file:/Users/alitariq/Desktop/ReadyAPI%20Projects/]
  at
com.eviware.soapui.impl.wsdل.WsdلProjectPro.loadProject(WsdلProjectPro.java:619)
  at
com.eviware.soapui.impl.wsdل.WsdلProject.<init>(WsdلProject.java:346)
)
  at
com.eviware.soapui.impl.wsdل.WsdلProject.<init>(WsdلProject.java:325)
)
  at
com.eviware.soapui.impl.wsdل.WsdلProjectPro.<init>(WsdلProjectPro.java:232)
  at
com.eviware.soapui.impl.wsdل.WsdلProjectProFactory.createNew(WsdلProjectProFactory.java:93)
  at
com.eviware.soapui.impl.wsdل.WsdلProjectProFactory.createNew(WsdلProjectProFactory.java:1)
  at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.getWsdلProject(AbstractSoapUIRunner.java:533)
  at
com.smartbear.ready.cmd.runner.SoapUITestCaseRunner.runRunner(SoapUITestCaseRunner.java:421)
  at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.runRunner(SoapUIProTestCaseRunner.java:141)
  at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.run(AbstractSoapUIRunner.java:333)
  at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.runFromCommandLine(AbstractSoapUIRunner.java:198)
  at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.init(SoapUIProTestCaseRunner.java:101)
  at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.main(SoapUIProTestCaseRunner.java:97)
Caused by: java.lang.NullPointerException
  at java.base/java.util.Objects.requireNonNull(Objects.java:208)
  at java.base/
java.util.Arrays$ArrayList.<init>(Arrays.java:4136)
  at java.base/java.util.Arrays.asList(Arrays.java:4121)
  at
com.eviware.soapui.impl.support.wsdل.UrlWsdلLoaderPro.a(UrlWsdلLoaderPro.java:39)
  at
com.eviware.soapui.impl.support.wsdل.UrlWsdلLoaderPro.handleFile(UrlWsdلLoaderPro.java:32)
  at
com.eviware.soapui.impl.wsdل.support.wsdل.UrlClientLoader.load(UrlClientLoader.java:165)
```

```
    at
com.eviware.soapui.impl.wsdl.support.wsdl.UrlClientLoader.load(UrlClientLoader.java:144)
    at
com.eviware.soapui.impl.wsdl.support.wsdl.UrlClientLoader.load(UrlClientLoader.java:135)
    at
com.eviware.soapui.impl.wsdl.WsdlProjectPro.b(WsdlProjectPro.java:713)
    at
com.eviware.soapui.impl.wsdl.WsdlProjectPro.loadProject(WsdlProjectPro.java:502)
    ... 12 more
17:38:43,929 INFO [license] ReadyAPI 3.20.2 shutting down
17:38:44,668 ERROR [SoapUITestCaseRunner] java.lang.Exception: Failed to load the project file [/Users/alitariq/Desktop/ReadyAPI Projects]
java.lang.NullPointerException
    at java.base/java.util.Objects.requireNonNull(Objects.java:208)
    at java.base/
java.util.Arrays$ArrayList.<init>(Arrays.java:4136)
    at java.base/java.util.Arrays.asList(Arrays.java:4121)
    at
com.eviware.soapui.impl.support.wsdl.UrlWsdlLoaderPro.a(UrlWsdlLoaderPro.java:39)
    at
com.eviware.soapui.impl.support.wsdl.UrlWsdlLoaderPro.handleFile(UrlWsdlLoaderPro.java:32)
    at
com.eviware.soapui.impl.wsdl.support.wsdl.UrlClientLoader.load(UrlClientLoader.java:165)
    at
com.eviware.soapui.impl.wsdl.support.wsdl.UrlClientLoader.load(UrlClientLoader.java:144)
    at
com.eviware.soapui.impl.wsdl.support.wsdl.UrlClientLoader.load(UrlClientLoader.java:135)
    at
com.eviware.soapui.impl.wsdl.WsdlProjectPro.b(WsdlProjectPro.java:713)
    at
com.eviware.soapui.impl.wsdl.WsdlProjectPro.loadProject(WsdlProjectPro.java:502)
    at
com.eviware.soapui.impl.wsdl.WsdlProject.<init>(WsdlProject.java:346)
    at
com.eviware.soapui.impl.wsdl.WsdlProject.<init>(WsdlProject.java:325)
    at
com.eviware.soapui.impl.wsdl.WsdlProjectPro.<init>(WsdlProjectPro.java:232)
    at
com.eviware.soapui.impl.wsdl.WsdlProjectProFactory.createNew(WsdlPro
```

```
jectProFactory.java:93)
    at
com.eviware.soapui.impl.wsdل.WsdلProjectProFactory.createNew(WsdلPro
jectProFactory.java:1)
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.getWsdلProject(A
bstractSoapUIRunner.java:533)
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.runFromCommandLi
ne(AbstractSoapUIRunner.java:206)
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.init(Soap
UIProTestCaseRunner.java:101)
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.main(Soap
UIProTestCaseRunner.java:97)
17:38:44,669 ERROR [SoapUI] An error occurred [Failed to load
project from file [file:/Users/alitariq/Desktop/
ReadyAPI%20Projects/]], see error log for details
17:38:44,669 ERROR [errorlog]
com.eviware.soapui.support.SoapUIException: Failed to load project
from file [file:/Users/alitariq/Desktop/ReadyAPI%20Projects/]
com.eviware.soapui.support.SoapUIException: Failed to load project
from file [file:/Users/alitariq/Desktop/ReadyAPI%20Projects/]
    at
com.eviware.soapui.impl.wsdل.WsdلProjectPro.loadProject(WsdلProjectP
ro.java:619) ~[ready-api-soapui-pro-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wsdل.WsdلProject.<init>(WsdلProject.java:346
) [ready-api-soapui-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wsdل.WsdلProject.<init>(WsdلProject.java:325
) [ready-api-soapui-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wsdل.WsdلProjectPro.<init>(WsdلProjectPro.ja
va:232) [ready-api-soapui-pro-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wsdل.WsdلProjectProFactory.createNew(WsdلPro
jectProFactory.java:93) [ready-api-soapui-pro-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wsdل.WsdلProjectProFactory.createNew(WsdلPro
jectProFactory.java:1) [ready-api-soapui-pro-3.20.2.jar:3.20.2]
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.getWsdلProject(A
bstractSoapUIRunner.java:533) [ready-api-runners-3.20.2.jar:?]
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.runFromCommandLi
ne(AbstractSoapUIRunner.java:206) [ready-api-runners-3.20.2.jar:?]
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.init(Soap
UIProTestCaseRunner.java:101) [ready-api-runners-3.20.2.jar:?]
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.main(Soap
UIProTestCaseRunner.java:97) [ready-api-runners-3.20.2.jar:?]
```

```
Caused by: java.lang.NullPointerException
    at java.util.Objects.requireNonNull(Objects.java:208) ~[?:?]
    at java.util.Arrays$ArrayList.<init>(Arrays.java:4136) ~[?:?]
    at java.util.Arrays.asList(Arrays.java:4121) ~[?:?]
    at
com.eviware.soapui.impl.support.wSDL.UrlWSDLLoaderPro.a(UrlWSDLLoaderPro.java:39) ~[ready-api-soapui-pro-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.support.wSDL.UrlWSDLLoaderPro.handleFile(UrlWSDLLoaderPro.java:32) ~[ready-api-soapui-pro-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wSDL.support.wSDL.UrlClientLoader.load(UrlClientLoader.java:165) ~[ready-api-soapui-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wSDL.support.wSDL.UrlClientLoader.load(UrlClientLoader.java:144) ~[ready-api-soapui-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wSDL.support.wSDL.UrlClientLoader.load(UrlClientLoader.java:135) ~[ready-api-soapui-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wSDL.WSDLProjectPro.b(WSDLProjectPro.java:713) ~[ready-api-soapui-pro-3.20.2.jar:3.20.2]
    at
com.eviware.soapui.impl.wSDL.WSDLProjectPro.loadProject(WSDLProjectPro.java:502) ~[ready-api-soapui-pro-3.20.2.jar:3.20.2]
    ... 9 more
com.eviware.soapui.support.SoapUIException: Failed to load project from file [file:/Users/alitariq/Desktop/ReadyAPI%20Projects/]
    at
com.eviware.soapui.impl.wSDL.WSDLProjectPro.loadProject(WSDLProjectPro.java:619)
    at
com.eviware.soapui.impl.wSDL.WSDLProject.<init>(WSDLProject.java:346)
    )
    at
com.eviware.soapui.impl.wSDL.WSDLProject.<init>(WSDLProject.java:325)
    )
    at
com.eviware.soapui.impl.wSDL.WSDLProjectPro.<init>(WSDLProjectPro.java:232)
    at
com.eviware.soapui.impl.wSDL.WSDLProjectProFactory.createNew(WSDLProjectProFactory.java:93)
    at
com.eviware.soapui.impl.wSDL.WSDLProjectProFactory.createNew(WSDLProjectProFactory.java:1)
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.getWSDLProject(AbstractSoapUIRunner.java:533)
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.runFromCommandLine(AbstractSoapUIRunner.java:206)
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.init(Soap
```



```
UIProTestCaseRunner.java:101)
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.main(Soap
UIProTestCaseRunner.java:97)
Caused by: java.lang.NullPointerException
    at java.base/java.util.Objects.requireNonNull(Objects.java:208)
    at java.base/
java.util.Arrays$ArrayList.<init>(Arrays.java:4136)
    at java.base/java.util.Arrays.asList(Arrays.java:4121)
    at
com.eviware.soapui.impl.support.wSDL.UrlWSDLLoaderPro.a(UrlWSDLLoade
rPro.java:39)
    at
com.eviware.soapui.impl.support.wSDL.UrlWSDLLoaderPro.handleFile(Url
WSDLLoaderPro.java:32)
    at
com.eviware.soapui.impl.wSDL.support.wSDL.UrlClientLoader.load(UrlCl
ientLoader.java:165)
    at
com.eviware.soapui.impl.wSDL.support.wSDL.UrlClientLoader.load(UrlCl
ientLoader.java:144)
    at
com.eviware.soapui.impl.wSDL.support.wSDL.UrlClientLoader.load(UrlCl
ientLoader.java:135)
    at
com.eviware.soapui.impl.wSDL.WSDLProjectPro.b(WSDLProjectPro.java:71
3)
    at
com.eviware.soapui.impl.wSDL.WSDLProjectPro.loadProject(WSDLProjectP
ro.java:502)
    ... 9 more
17:38:44,672 ERROR [SoapUI] An error occurred [Failed to load the
project file [/Users/alitariq/Desktop/ReadyAPI Projects]], see error
log for details
17:38:44,672 ERROR [errorlog] java.lang.Exception: Failed to load
the project file [/Users/alitariq/Desktop/ReadyAPI Projects]
java.lang.Exception: Failed to load the project file [/Users/
alitariq/Desktop/ReadyAPI Projects]
    at
com.smartbear.ready.cmd.runner.SoapUITestCaseRunner.runRunner(SoapUI
TestCaseRunner.java:425) ~[ready-api-runners-3.20.2.jar:?]
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.runRunner
(SoapUIProTestCaseRunner.java:141) ~[ready-api-runners-3.20.2.jar:?]
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.run(AbstractSoap
UIRunner.java:333) ~[ready-api-runners-3.20.2.jar:?]
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.runFromCommandLi
ne(AbstractSoapUIRunner.java:198) [ready-api-runners-3.20.2.jar:?]
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestCaseRunner.init(Soap
UIProTestCaseRunner.java:101) [ready-api-runners-3.20.2.jar:?]
    at
```

```
com.smartbear.ready.cmd.runner.pro.SoapUIProTestRunner.main(Soap
UIProTestRunner.java:97) [ready-api-runners-3.20.2.jar:?]
java.lang.Exception: Failed to load the project file [/Users/
alitariq/Desktop/ReadyAPI Projects]
    at
com.smartbear.ready.cmd.runner.SoapUITestRunner.runRunner(SoapUI
TestRunner.java:425)
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestRunner.runRunner
(SoapUIProTestRunner.java:141)
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.run(AbstractSoap
UIRunner.java:333)
    at
com.smartbear.ready.cmd.runner.AbstractSoapUIRunner.runFromCommandLi
ne(AbstractSoapUIRunner.java:198)
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestRunner.init(Soap
UIProTestRunner.java:101)
    at
com.smartbear.ready.cmd.runner.pro.SoapUIProTestRunner.main(Soap
UIProTestRunner.java:97)

alitariq@115-186-132-74 ~ %
```