

Object Spy

Drag the target to point to the object
Press the left mouse button over the target icon and drag the icon to the desired window or control. Release the button to select this window or control. [Show me how it works.](#)

Point and fix (Shift+Ctrl+A)
Press this button and then move the mouse pointer to the desired window, control or any other object on screen. Press Shift+Ctrl+A to select the object. [Show me how it works.](#)

Aliases: browser_MainPage.formForm1.panel.panel2.panel.frameAppbody.frameBodyframe.formForm1.tableTt.cell.tableTable1.cellMainId18

Properties | Methods

Advanced view [View basic members \(Basic view\)](#)

[Standard]	
_NewEnum	(Enumerator)
ChildCount	0
Enabled	True
Exists	True
FullName	Sys.Browser("ie:explorer").Page("http://10.10.4.191/NC2306L_TST/(S/(v1qfb331d4h53950kzzag))MainPage.aspx?UserID=484").Form("form1").Panel(2).Panel(2).Frame("AppBody").Frame("bodyFrame").Form("Form1").Table("t").Cell(1, 0).Table("Table1").Cell(12, 0)
Height	8668
Id	20
Left	188
MappedName	Aliases.browser_MainPage.formForm1.panel.panel2.panel.frameAppbody.frameBodyframe.formForm1.tableTt.cell.tableTable1.cellMainId18
Name	Cell(12, 0)
NativeWebObject	(Object)
Parent	(Object)
ScreenLeft	188
ScreenTop	359
Top	340
Visible	True
VisibleOnScreen	True
Width	926

Object Spy

Drag the target to point to the object
Press the left mouse button over the target icon and drag the icon to the desired window or control. Release the button to select this window or control. [Show me how it works.](#)

Point and fix (Shift+Ctrl+A)
Press this button and then move the mouse pointer to the desired window, control or any other object on screen. Press Shift+Ctrl+A to select the object. [Show me how it works.](#)

Aliases: browser_MainPage.formForm1.panel.panel2.panel.frameAppbody.frameBodyframe.formForm1.tableTt.cell.tableTable1.cellMainId18

Properties | Methods

Advanced view [View basic members \(Basic view\)](#)

[Extended]	
ColumnIndex	0
contentText	
idStr	
namePropStr	
ObjectIdentifier	12
ObjectType	Cell
RowIndex	12
[Internet Explorer]	
abbr	
accessKey	
align	
all	(Object)
ariaActivedescendant	
ariaBusy	
ariaChecked	
ariaControls	
ariaDescribedby	
ariaDisabled	
ariaExpanded	
ariaFlowto	
ariaHaspopup	
ariaHidden	
ariaInvalid	

Object Spy

Drag the target to point to the object
Press the left mouse button over the target icon and drag the icon to the desired window or control. Release the button to select this window or control. [Show me how it works.](#)

Point and fix (Shift+Ctrl+A)
Press this button and then move the mouse pointer to the desired window, control or any other object on screen. Press Shift+Ctrl+A to select the object. [Show me how it works.](#)

Aliases: browser.MainPage.formForm1.panel.panel2.panel.frameAppbody.frameBodyframe.formForm1.tableT.cell.tableTable1.cellMainId18

Properties | Methods

Advanced view [View basic members \(Basic view\)](#)

ariaInvalid	
ariaLabelledby	
ariaLevel	0
ariaLive	
ariaMultiselectable	
ariaOwns	
ariaPosinset	0
ariaPressed	
ariaReadonly	
ariaRelevant	
ariaRequired	
ariaSecret	
ariaSelected	
ariaSetSize	0
ariaValueNow	
ariaValueMin	
ariaValueMax	
attributes	(Object) ...
axis	
background	
behaviorUins	(Object) ...
bgColor	
borderColor	
borderColorDark	

Object Spy

Drag the target to point to the object
Press the left mouse button over the target icon and drag the icon to the desired window or control. Release the button to select this window or control. [Show me how it works.](#)

Point and fix (Shift+Ctrl+A)
Press this button and then move the mouse pointer to the desired window, control or any other object on screen. Press Shift+Ctrl+A to select the object. [Show me how it works.](#)

Aliases: browser.MainPage.formForm1.panel.panel2.panel.frameAppbody.frameBodyframe.formForm1.tableT.cell.tableTable1.cellMainId18.borderColorDark

Properties | Methods

Advanced view [View basic members \(Basic view\)](#)

borderColorDark	
borderColorLight	
canHaveChildren	True
canHaveHTML	True
cellIndex	0
ch	
childNodes	(Object) ...
children	(Object) ...
chOff	
className	MainTD
clientHeight	8868
clientLeft	0
clientTop	0
clientWidth	927
colSpan	2
contentEditable	inherit
currentStyle	(Object) ...
dir	
disabled	False
document	(Object) ...
filters	(Object) ...
firstChild	(Object) ...
headers	
hideFocus	False

Object Spy

Drag the target to point to the object
Press the left mouse button over the target icon and drag the icon to the desired window or control. Release the button to select this window or control. [Show me how it works.](#)

Point and fix (Shift+Ctrl+A)
Press this button and then move the mouse pointer to the desired window, control or any other object on screen. Press Shift+Ctrl+A to select the object. [Show me how it works.](#)

Aliases: browser.MainPage.FormForm1.panel.panel2.panel.frameAppbody.frameBodyframe.FormForm1.tableTt.cell.tableTable1.cellMainId18.hdefocus

Properties	Methods
Advanced view View basic members (Basic view)	
hideFocus	False
is_attributes	(Object)
ie9_ch	
ie9_chOff	
ie9_nodeName	TD
ie9_tagName	TD
innerHTML	<?IMPORT NAMESPACE = TVNS IMPLEMENTATION = "http://10.10.4.191/webctrl_dent/1_0/breeview.fc" DECLARENAMESPACE TD /><tvns:treeview tabIndex=0 id=TreeView1 class=MainTD hideFocus style="WORD-WRAP: break-word; WIDTH: 920px; OVERFLOW-X: auto" onselectedindexd ...
innerText	
isContentEditable	False
isDisabled	False
isMultiLine	True
isTextEditable	False
lang	
language	
lastChild	(Object)
nextSibling	(Null Object)
nodeName	TD
nodeType	1
nodeValue	(Null)
noWrap	False
offsetHeight	8868
offsetLeft	3
offsetParent	(Object)

Object Spy

Drag the target to point to the object
Press the left mouse button over the target icon and drag the icon to the desired window or control. Release the button to select this window or control. [Show me how it works.](#)

Point and fix (Shift+Ctrl+A)
Press this button and then move the mouse pointer to the desired window, control or any other object on screen. Press Shift+Ctrl+A to select the object. [Show me how it works.](#)

Aliases: browser.MainPage.FormForm1.panel.panel2.panel.frameAppbody.frameBodyframe.FormForm1.tableTt.cell.tableTable1.cellMainId18.offsetParent

Properties	Methods
Advanced view View basic members (Basic view)	
offsetParent	(Object)
offsetTop	178
offsetWidth	927
onabort	(Null)
onactivate	(Null)
onafterupdate	(Null)
onbeforeactivate	(Null)
onbeforecopy	(Null)
onbeforecut	(Null)
onbeforedeactivate	(Null)
onbeforeeditfocus	(Null)
onbeforepaste	(Null)
onbeforeupdate	(Null)
onblur	(Null)
oncellchange	(Null)
onchange	(Null)
onclick	(Null)
oncontextmenu	(Null)
oncontrolselect	(Null)
oncopy	(Null)
oncut	(Null)
ondataavailable	(Null)
ondatachange	(Null)
ondatacomplete	(Null)
ondblclick	(Null)
ondeactivate	(Null)
ondrag	(Null)
ondragend	(Null)
ondragenter	(Null)

Object Spy

Drag the target to point to the object
Press the left mouse button over the target icon and drag the icon to the desired window or control. Release the button to select this window or control. [Show me how it works.](#)

Point and fix (Shift+Ctrl+A)
Press this button and then move the mouse pointer to the desired window, control or any other object on screen. Press Shift+Ctrl+A to select the object. [Show me how it works.](#)

Aliases: browser.MainPage.FormForm1.panel.panel2.panel.frameAppbody.frameBodyframe.FormForm1.tableTt.cell.tableTable1.cellMainId18.ondragenter

Properties	Methods
Advanced view View basic members (Basic view)	
ondragenter	(Null)
ondragleave	(Null)
ondragover	(Null)
ondragstart	(Null)
ondrop	(Null)
onerror	(Null)
onerrordata	(Null)
onfilterchange	(Null)
onfocus	(Null)
onfocusin	(Null)
onfocusout	(Null)
onhelp	(Null)
onkeydown	(Null)
onkeypress	(Null)
onkeyup	(Null)
onlayoutcomplete	(Null)
onload	(Null)
onlosecapture	(Null)
onmousedown	(Null)
onmouseenter	(Null)
onmouseleave	(Null)
onmousemove	(Null)
onmouseout	(Null)
onmouseover	(Null)
onmouseup	(Null)
onmousewheel	(Null)
onmove	(Null)
onmoveend	(Null)
onmovestart	(Null)

Object Spy

Drag the target to point to the object
 Press the left mouse button over the target icon and drag the icon to the desired window or control. Release the button to select this window or control. [Show me how it works.](#)

Point and fix (Shift+Ctrl+A)
 Press this button and then move the mouse pointer to the desired window, control or any other object on screen. Press Shift+Ctrl+A to select the object. [Show me how it works.](#)

Aliases: browser_MainPage.FormForm1_panel.panel2.panel.frameAppbody.frameBodyframe.formForm1.tableTl.cell.tableTable1.cellMainId18.omovestart

Properties | Methods

Advanced view [View basic members \(Basic view\)](#)

- omovestart (Null)
- onpage (Null)
- onpaste (Null)
- onpropertychange (Null)
- onreadystatechange (Null)
- onreset (Null)
- onresize (Null)
- onresizeend (Null)
- onresizestart (Null)
- onrewind (Null)
- onrewindend (Null)
- onrewindstart (Null)
- onselect (Null)
- onselectstart (Null)
- onsubmit (Null)

outerHTML <TD class=MainTD colSpan=2><?IMPORT NAMESPACE = TVNS IMPLEMENTATION = "http://10.10.4.191/webctrl_client/1_0/treeview.hic" DECLARENAMESPACE /><tr:treeview tabIndex=0 id=TreeView1 class=MainTD hideFocus style="WORD-WRAP: break-word; WIDTH: 920px; OVERFL...

outerText

ownerDocument (Object) ...

parentElement (Object) ...

parentNode (Object) ...

parentTextEdit (Object) ...

previousSibling (Null Object) ...

readyState complete

recordNumber (Null)

role

Drag the target to point to the object
 Press the left mouse button over the target icon and drag the icon to the desired window or control. Release the button to select this window or control. [Show me how it works.](#)

Point and fix (Shift+Ctrl+A)
 Press this button and then move the mouse pointer to the desired window, control or any other object on screen. Press Shift+Ctrl+A to select the object. [Show me how it works.](#)

Aliases: browser_MainPage.FormForm1_panel.panel2.panel.frameAppbody.frameBodyframe.formForm1.tableTl.cell.tableTable1.cellMainId18.role

Properties | Methods

Advanced view [View basic members \(Basic view\)](#)

- onselect (Null)
- onselectstart (Null)
- onsubmit (Null)

outerHTML <TD class=MainTD colSpan=2><?IMPORT NAMESPACE = TVNS IMPLEMENTATION = "http://10.10.4.191/webctrl_client/1_0/treeview.hic" DECLARENAMESPACE /><tr:treeview tabIndex=0 id=TreeView1 class=MainTD hideFocus style="WORD-WRAP: break-word; WIDTH: 920px; OVERFL...

outerText

ownerDocument (Object) ...

parentElement (Object) ...

parentNode (Object) ...

parentTextEdit (Object) ...

previousSibling (Null Object) ...

readyState complete

recordNumber (Null)

TD

- rowSpan 1
- runtimeStyle (Object) ...
- scope
- scopeName HTML
- scrollHeight 8868
- scrollLeft 0
- scrollTop 0
- scrollWidth 927
- sourceIndex 158
- spellcheck True
- style (Object) ...
- tabIndex 0
- tagName TD
- tagUrn
- tble
- vAlign