

General Source Code Management Build Triggers Build Environment Build Post-build Actions

Project name

Description

[Plain text] [Preview](#)

- Discard old builds ?
- GitHub project
- Permission to Copy Artifact
- This project is parameterized ?
- Throttle builds ?
- Disable this project ?
- Execute concurrent builds if necessary ?
- Restrict where this project can be run ?

Label Expression

[Label](#) is serviced by 1 node

Advanced...

Source Code Management

- None
- Git

Repositories

Repository URL ?

Credentials

Advanced...

Add Repository

Source Code Management

- None
- Git

Repositories

Repository URL

Credentials

Branches to build

Branch Specifier (blank for 'any')

Repository browser

Additional Behaviours

- Subversion

Build Triggers

- Trigger builds remotely (e.g., from scripts)
- Build after other projects are built
- Build periodically
- Build when a change is pushed to GitHub
- Poll SCM

Build Triggers

- Trigger builds remotely (e.g., from scripts)
- Build after other projects are built
- Build periodically
- Build when a change is pushed to GitHub
- Poll SCM



Build Environment

- Delete workspace before build starts
- Abort the build if it's stuck
- Add timestamps to the Console Output
- Copy files into the job's workspace before building
- Use secret text(s) or file(s)



Build

TestComplete Test

For information on creating TestComplete test steps, see [TestComplete documentation](#).

Project suite file:

Specify the path relative to the job's workspace folder on the node (for example, MyProjects\TCSuite1.pjs).

- Entire suite
- Project test
- Script test
- Keyword test
- Environment Manager tests (TestComplete 12.20 or later with the Web module license is required)
- Other (low-level procedure, network suite, etc.)



Build Environment

- Delete workspace before build starts
- Abort the build if it's stuck
- Add timestamps to the Console Output
- Copy files into the job's workspace before building
- Use secret text(s) or file(s)



Build

TestComplete Test



For information on creating TestComplete test steps, see [TestComplete documentation](#).

Project suite file:

Specify the path relative to the job's workspace folder on the node (for example, MyProjects\TCSuite1.pjs).

- Entire suite
- Project test
- Script test
- Keyword test
- Environment Manager tests (TestComplete 12.20 or later with the Web module license is required)
- Other (low-level procedure, network suite, etc.)

Settings

Advanced...

Add build step ▾