



Insert or update Data to excel



variable Indice

| Persistent Variables | | | |
|----------------------|---------|---------------|-------------|
| Name | Type | Default Value | Local Value |
| Indice | Integer | 0 | 2 |

The keyword :



This script is using by the keyword :



function tt(ligne)

```
{  
  var NUMERO = "0056654667";  
  var LeFichier = "V:\\PROJETS\\FichierEtrangers.xlsx";  
  var conn = Sys.OleObject("ADODB.Connection");  
  conn.ConnectionString = "Provider=Microsoft.ACE.OLEDB.12.0;Mode=ReadWrite;" +  
  "Data Source=" + LeFichier + ";Extended Properties='Excel 8.0;HDR=NO;";  
  conn.Open();
```

```
  var Requete = "UPDATE [Onglet1$A" + ligne + ":A" + ligne + "] SET F1 = \"' + NUMERO + \"'";
```

```
  conn.Execute(Requete);  
  conn.Close();  
}
```



after execution :



```
function tt(ligne)
{
    var NUMERO = "0056654667";
    var LeFichier = "V:\\PROJETS\\FichierEprangers.xlsx";
    var conn = Sys.OleObject("ADODB.Connection");
    conn.ConnectionString = "Provider=Microsoft.ACE.OLEDB.12.0;Mode=ReadWrite;" +
        "Data Source='" + LeFichier + "';Extended Properties='Excel 8.0;HDR=NO'";
    conn.Open();

    var Requete= "UPDATE [Onglet1$A" + ligne + ":A" + ligne + "] SET F1 = '\" + NUMERO + \"'";
    conn.Execute(Requete);
    conn.Close();
}
```

after the message below, nothing works, for exemple:

| Type | Message |
|---|--|
|  | JavaScript runtime error. |
|  | The test run has stopped because the "Stop on Error" setting is enabled. |

| | | | |
|---------|-----------------|------------|----------------------|
| Picture | Additional Info | Call Stack | Performance Counters |
|---------|-----------------|------------|----------------------|

TypeError
Cannot read property of undefined.
Error location:



```
function Test1 () { BuiltIn.ShowMessage ("yyy"); }
```

and, the only solution is to restart TestComplete